

<b>Very Poor</b>	
<b>When PM<sub>2.5</sub> levels are between 121-250 µg/m<sup>3</sup> or</b>	
<b>PM<sub>10</sub> levels are between 351-430 µg/m<sup>3</sup></b>	
Stop use of diesel generator sets	Chairpersons Delhi Pollution Control Committee, State Pollution Control Boards of Haryana, Rajasthan, Uttar Pradesh
Enhance parking fee by 3-4 times	Municipal Commissioner
	Municipal Corporations of NCT of Delhi and NCR towns
Increase bus and metro services by augmenting contract buses and increasing frequency of service	Principal Secretary, Department of Transport of NCT of Delhi
	Delhi Transport Corporation (DTC)
	Delhi Integrated Multi-modal Transit System Ltd (DIMTS)
	Delhi Metro Rail Corporation (DMRC)
	State Transport Corporations in NCR towns
Stop use of coal/firewood in hotels and open eateries	Municipal Corporations of NCT of Delhi and NCR towns
Residential Welfare Associations and individual house owners to provide electric heaters during winter to security staff to avoid open burning by them	Resident Welfare Associations
Alert in newspapers/TV/radio to advise people with respiratory and cardiac patients to avoid polluted areas and restrict outdoor movement.	Chairpersons, Delhi Pollution Control Committee, State Pollution Control Boards of Haryana, Rajasthan, and Uttar Pradesh